



Brendan's problematic wire list

<http://www.npl.uiuc.edu/twiki/bin/view/Main/DetectorRepair>

Run	Anode	I.Cath	O. Cath	Sector	Wire	Comment
	2622			A5	19	During setup, hot spots
		3375		C18	3	During setup, hot spots
53133	2622			A5	19	Part of hot spot
53133		3226		C8	14	Part of hot spot
53133			3862, 3863	C24	11,10	hot spot, coinc on 3863, singles on 3862
58369	2621-2623			A5	18-20	Wider spot on anode
58369			3863, 3864	C24	10,9	Wider spot on cathode
			3796,3804,3808	C28	16,13,5	Could be electronics
			3856	C25	1	Could be electronics
			3809	C27	16	pulsed mode fine, clusters missing
			3823,3824	C27	2,1	pulsed mode fine, clusters missing
			3825	C26	16	pulsed mode fine, clusters missing



Die gruenen Zahlen sind Kabel Nummern, nicht relevant. Die blauen Zahlen sind die Anoden Sektoren.



Die gruenen Zahlen sind Kabel Nummern, nicht relevant. Die roten und blauen Zahlen sind Anoden Sektoren (innen und aussen). Ich habe einige problematische Streifen eingezeichnet, die vollstaendige Liste ist auf Brendan's Webpage.

